

EN-HSC-32



Features
◆ Spray Camera
◆ SONY Color CCD
◆ Lens Furnished: 3.7mm Taper Pinhole Lens
◆ Dimension: ϕ 31 x 105(H) mm
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; text-align: center; width: 40px;"> COLOR <small>NTSC PAL</small> </div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; text-align: center; width: 40px;"> AGC <small>Yes</small> </div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; text-align: center; width: 40px;"> AES <small>1/60 (1/50)~ 1/10,000</small> </div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; text-align: center; width: 40px;"> BLC <small>Yes</small> </div> </div>

Specifications :

Model Name	EN-HSC-32
Image Device	1/3 SONY
Resolution	420 TVL
Picture Elements	PAL:500(H)×582(V); NTSC:510(H)×492(V)
Min. Illumination	0.8 Lux /F2.0
TV System	PAL
Lens Furnished	3.7mm Taper Pinhole Lens
S/N Ratio	More than 48dB
Electronic Shutter	NTSC:1/60~1/100,000, PAL:1/50~1/110,000
Gamma	0.45
White Balance	Auto
Gain Control	Auto
Sync. System	Internal
Video Output	1 Vp-p / 75 Ohms
Power Supply	DC12V±10%
Operation Temperature	-10°C~ +50°C RH95% Max
Dimension	ϕ 83 x 68(H) mm
Weight	150g