

# WIT1035SD

## VANDAL RESISTANCE IR DOME CAMERA



### Features:

- Anodic Process, pants up, down and 360° side-to-side
- Patented heat radiation
- High sensitivity, true color, high resolution
- Vandal resistance

### Specifications

<b>Picture Elements HxV</b>	NTSC/EIA: 768*494; PAL/CCIP: 753*582 (High)
<b>H.Sync Frequency</b>	NTSC: 15.734 KHz, PAL: 15.625 KHz
<b>V. Sync Frequency</b>	NTSC: 59.94 Hz, PAL: 50 Hz
<b>Chips</b>	1/3" Sony
<b>Lens(mm)</b>	6mm
<b>Min Illumination</b>	0.1 Lux
<b>Resolution</b>	480 TV Line
<b>Synchronization</b>	Internal
<b>White Balance</b>	Auto White Balance
<b>Electronic Shutter</b>	Auto, Rang: 1/50(1/60) – 1/100,000 sec
<b>Gain control</b>	Auto
<b>Gamma</b>	0.45
<b>LED</b>	35 PCS
<b>S/N Ratio</b>	More Than 48 dB (AGC Off)
<b>Video Output</b>	1 Vp-p, 75 Ohms
<b>Dimension (Diameter x L)</b>	94 x 78.14 mm
<b>Power Supply</b>	DC 12V (+/- 10%)
<b>Storage temperature</b>	-20°C - + 70°C
<b>Operating Temperature</b>	-10°C - + 55°C
<b>Power Consumption</b>	50mA (IR Off), 390mA(IR On)
<b>Weight</b>	450g